



Section 5

SLALOM

Modular Partitions

Privacy & Security Screens




Slalom


Modular Partitions

Privacy & Security Screens

Model	Description	Size	PVC Panel	PVC Striped Translucent	Steel Panel	Est. Ship Wt.
2 Panels High (2 and 3 panel heights may be combined)						
SL12	(1) Section Wide	42 $\frac{1}{2}$ w x 49h	\$ 1243	\$ 1312	\$ 1312	46
SL22	(2) Sections Wide	82 $\frac{7}{8}$ w x 49h	1975	2113	2113	73
SL32	(3) Sections Wide	123 $\frac{5}{8}$ w x 49h	2721	2928	2928	100
SL42	(4) Sections Wide	164 $\frac{3}{8}$ w x 49h	3452	3728	3728	127
SL12A	Add-On Panel with (1) Upright. (1) Section Wide & (2) Panels High,	40 $\frac{3}{4}$ w x 49h	777	846	846	27
3 Panels High (2 and 3 panel heights may be combined)						
SL13	(1) Section Wide	42 $\frac{1}{2}$ w x 72h	1442	1545	1545	52
SL23	(2) Sections Wide	82 $\frac{7}{8}$ w x 72h	2320	2526	2526	84
SL33	(3) Sections Wide	123 $\frac{5}{8}$ w x 72h	3195	3504	3504	116
SL43	(4) Sections Wide	164 $\frac{3}{8}$ w x 72h	4072	4484	4484	148
SL13A	Add-On Panel with (1) Upright. (1) Section Wide & (3) Panels High	40 $\frac{3}{4}$ w x 72h	959	1062	1062	32
Options						
SLC	Coat Hook, attaches to upright. Select Maple or Cherry knobs.		76			2
SLBC	Base Plate 9 $\frac{3}{4}$ dia. with (3) 1 $\frac{1}{4}$ "h non-locking Casters		64			15
SLWB	Wall Base Plate. Fits flush-to-wall.	9 $\frac{3}{4}$ w x 6d	61			25
RSP	Replacement Panel - Specify panel finish	39w x 21 $\frac{1}{2}$ h	111	161	196	25
GRAPHICS	Custom silk screened graphics, contact factory.					



Shipped KD



To Order Specify

1. Quantity	PVC Panel Finishes	Perforated Steel
2. Model	Fog	Fog
3. Panel Finish: PVC, Steel	Translucent	
4. Options	Striped Translucent	

Specifications

- Uprights, (1 $\frac{3}{16}$ " dia.) are slotted to accept up to (4) panels mounted at 90° angles.
- Base Plates: Steel, 9 $\frac{3}{4}$ " dia. Aluminum metallic finish.
- Panel Finishes: Flexible, fireproof PVC or micro-perforated sheet metal.
- Panel Size: 39"w x 21 $\frac{1}{2}$ "H.
- The panel curvature is determined by moving the uprights closer or farther apart.
- $\frac{1}{16}$ " thick PVC panels deliver virtually unlimited curvature.
- PVC stripes are 2" wide screened onto translucent PVC panel.
- The Steel panels are semi-flexible with the minimum radius of approximately 24".
- The panels are connected with translucent plastic elements.

5



SLC



Base



Optional Guaranteed Freight Program

(See page 5 for details)
Zone 1 @ 5% of IFPQ.
Truck charge \$100 min.
Zone 2 @ 8% of IFPQ.
Truck Charge \$145 min.



